

Sanken N. America

Live Microphone Products Price List



**Head Worn Mics
COS-11D-HWM**



**In-line Amplifier
HAD-48**

SankenMicrophones.com



Sanken Microphones 323.845.1171
Exclusive N. America Distribution by plus24
1155 North La Brea Avenue
West Hollywood, CA 90038 USA



Sanken Microphones

Truly unique and innovative microphones with legendary craftsmanship

Distributed Exclusively by



Jan 1, 2017

Live Products Microphone Pricing

COS-11D-HWM:

Dual Earframe Head Worn Omni-Directional Miniature Electret Lavalier Microphone

- Lightweight and Flexible Stainless Steel frame •Ultra miniature •Interchangeable for Right or Left Side use
- Unique diaphragm design •Same Mic used in feature films and television production now available as a head worn
- 50Hz-20,000Hz with 136dB maximum SPL •Natural response and almost perfect omni pattern •Strong immunity to RFI
- Available in Beige or Cocoa color

Model	Color Choices	Description	List Price
COS-11D-HWM-PT-	BE, CC	Dual Ear Frame Head Worn Lavalier Microphone (BE) Beige, (CC) Cocoa	\$ 695.00
COS-11D-HWM-TA5(or TA4)	BE, CC	Dual Ear Frame Head Worn Lavalier Microphone Terminated with TA-5 (or TA-4) Connector, (BE) Beige, (CC) Cocoa	\$ 745.00
COS-11D-HWM-TRS-	BE, CC	Dual Ear Frame Head Worn Lavalier Microphone Terminated with 2.1mm TRS Connector, (BE) Beige, (CC) Cocoa	\$ 745.00
COS-11D-HWM-Lmo-	BE, CC	Dual Ear Frame Head Worn Lavalier Microphone Terminated with Lemo Connector, (BE) Beige, (CC) Cocoa	\$ 795.00

Above models includes these accessories:

Urethane Windscreen (BE) Beige or (CC) Cocoa
HWM Template box **Spare Wire Clips** 1 Small,

Sanken Microphones

Truly unique and innovative microphones with legendary craftsmanship

Distributed Exclusively by



Jan 1, 2017

Live Products Microphone Pricing

COS-11D-HWM:

Dual Earframe Head Worn Omni-Directional Miniature Electret Lavalier Microphone

- Lightweight and Flexible Stainless Steel frame •Ultra miniature •Interchangeable for Right or Left Side use
- Unique diaphragm design •Same Mic used in feature films and television production now available as a head worn
- 50Hz-20,000Hz with 136dB maximum SPL •Natural response and almost perfect omni pattern •Strong immunity to RFI
- Available in Beige or Cocoa color

Model	Color Choices	Description	List Price
COS-11D-HWM-MIC BOOM-PT	BE, CC	COS-11D-HWM Mic Boom Arm Only, (BE) Beige, (CC) Cocoa	\$ 545.00
COS-11D-HWM-MIC BOOM-TA5(or TA4)	BE, CC	COS-11D-HWM Mic Boom Arm Only, Terminated with TA-5 (or TA-4) Connector, (BE) Beige, (CC) Cocoa	\$ 595.00
COS-11D-HWM-MIC BOOM-TRS	BE, CC	COS-11D-HWM Mic Boom Arm Only, Terminated with 2.1mm TRS Connector, (BE) Beige, (CC) Cocoa	\$ 595.00
COS-11D-HWM-MIC BOOM-Lmo	BE, CC	COS-11D-HWM Mic Boom Arm Only, Terminated with Lemo Connector, (BE) Beige, (CC) Cocoa	\$ 645.00
COS-11D-HWM Accessories			
<u>Sold in packs of 10 unless otherwise noted</u>			
WS-11	BE, CC	Windscreen (BE) Beige or (CC) Cocoa	\$ 220.00
WSL-11	BK	Large Windscreen, Black (only)	\$ 250.00
COS-11D-HWM Clip Set-XL		Extra Large, Replacement Clip Set (Cable to Frame), 5 pack	\$ 12.00
COS-11D-HWM Clip Set-L		Large, Replacement Clip Set (Cable to Frame), 10 pack	\$ 20.00
COS-11D-HWM Clip Set-Sm		Small, Replacement Clip Set (Cable to Frame), 10 pack	\$ 20.00
HWM Frame		Replacement COS-11D HWM Steel Frame	\$ 200.00
FW-11BK	BK	Foam Windscreen, Black Only (10 pieces)	\$ 75.00
FW-11MT	Multi	Foam Windscreen, Multicolor Pack (11 pieces)	\$ 60.00

Sanken Microphones

Truly unique and innovative microphones with legendary craftsmanship

Distributed Exclusively by



Jan 1, 2017

Live Products Microphone Pricing **Dynamic Mic Accessories:**

Model	Description	List Price
-------	-------------	------------

HAD-48	Inline Amplifier (for dynamic microphones only)	\$ 239.00
---------------	--	-----------

The HAD-48 amplifier provides selectable gains of +20dB or +40dB to boost signal levels from low-output devices, such as dynamic mics. The result – a much improved signal-to-noise ratio even over long cable connections. The HAD-48 features an XLR-style barrel (XLR-3M - XLR-3F) just 4.14" long. Requiring no batteries, it operates with 48V phantom power and draws less than 4.5mA. The microphone is isolated from the phantom power.

plus24/Sanken reserves the right to improve or alter product design and specifications
without notice or obligation
