



LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>ISRP /</u> MAP |
|--------------|---|--------------------------|
| <u>CS-M1</u> | SHORT SHOTGUN MICROPHONE This super cardioid 4" long mic is excellent for dialog and all forms of audio. This | \$ 895.00 |
| | CS-M1 has exceptional off-axis rejection. Uses standard 19mm accessories. 48- volt phantom power is required. Matte Black. | |
| | Ideal for indoor, boom, plant, stand, or camcorder mounting • Lightweight 2 oz | |

(56.7g) • Sharp directivity • Unique capsule design • Increased immunity to RF interference • Improved sensitivity and lower noise • Wide 50Hz-20,000Hz response • Quick power-up • Accepts high sound pressure levels • Rugged design.

INCLUDED WSM-1 Foam Windscreen, CS-M1 Vinyl Case

| CS-M1 ACCESS | SORIES | |
|---------------------|--|--------------|
| WSM-1 | Foam Windscreen, Black | \$ 36.00 |
| KS-M1 | Microphone Shock-Mount | \$ 92.00 |
| KG | Universal Handgrips for Shock-Mounts; Attaches to pole | \$ 65.00 |
| KGW | Wired Handgrip; wired with cloth for maximum noise isolation | \$ 100.00 |
| CS-M1 VINYL CASE | Viny Case for CS-M1 | \$ 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>ISRP /</u> <u>MAP</u> |
|--------------|--|---------------------------------|
| <u>CS-1e</u> | LONG REACH SHORT SHOTGUN MICROPHONE Innovative technology in a short 7" long (181.5 mm), ultra-compact oz (82g) housing, this model features a uniquely long reach, extended low-frequency response, and low noise. Specifically designed for the event and the film and television industries, it is also ideal for mounting onto video and film cameras. It is easy to maneuver on boom poles and effective as a handheld shotgun mic. Sharp directivity delivers highly targeted sound while eliminating background noise through off-axis rejection. Uses standard 19mm accessories. 48-volt phantom power is required. Matte Black. | \$ 850.00 |
| | Ideal for camcorder mounting • Lightweight 2.9 oz (80g) • Sharp directivity • Unique capsule design • Increased immunity to airborne electrical interference • Improved sensitivity and lower noise • Wide 50Hz-20,000Hz response • Quick | |

power-up · Accepts high sound pressure levels · Rugged design · Natural sound

INCLUDED WM-1e Foam Windscreen, ROCS Rubber O-Ring Set [2 COUNT], CS-1e Vinyl ACCESSORIES Case

| CS-1e ACCESS | ORIES | |
|---------------------|--|--------------|
| WM-1e | Foam Windscreen, Black | \$ 40.00 |
| KS-1 | Microphone Shock-Mount | \$ 135.00 |
| KG | Universal Handgrips for Shock-Mounts; Attaches to pole | \$ 65.00 |
| KGW | Wired Handgrip; wired with cloth for maximum noise isolation | |
| WSJ-1e | Slotted Plastic Cage Softie Windjammer | \$ 190.00 |
| ROCS | Rubber O-Rings that expand the CS-1e 's diameter to fit the larger shock mounts of certain cameras [10 COUNT] | \$ 20.00 |
| CS-1e VINYL CASE | Vinyl Case for CS-1e | \$ 45.00 |

MAY 1, 2023





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>MSRP /</u> <u>MAP</u> |
|-------------|---|-----------------------------|
| <u>CS-2</u> | LONG REACH SHOTGUN MICROPHONE Innovative technology in a standard 10" (250 mm) length, compact 3.9 oz (110g) housing, this model features an unusually long reach by using a unique audio tube length and proprietary capsule design - producing a rich, natural tone quality. It is easy to maneuver on boom poles and can be camera mounted. Sharp directivity delivers highly targeted sound while eliminating background noise through off-axis rejection. Uses standard 19mm accessories. 48-volt phantom power is required. Matte Black. High Boost Switch compensates for windscreen attenuation | \$1,150.00 |
| | Suppresses background sensitivity using Sanken's exclusive rear cancellation technology • Proprietary rectangular capsule design for compact, super-sharp directivity • Flat frequency response 70Hz to 20kHz • Easy | |

to handle and operate using 48V phantom power • Quick power-up • Standard XLR3 connector

INCLUDED WM-23 Foam Windscreen CS-2 Vinyl Case

| CS-2 ACCESSOR | IES | |
|----------------------|---|--------------|
| WM-23 | Foam Windscreen, Black | \$ 50.00 |
| KS-3 | Microphone Shock-Mount; CS-2 is held firmly in two specially formulated polymer mounts | \$ 135.00 |
| KG | Universal Handgrips for Shock-Mounts; Attaches to pole | \$ 65.00 |
| KGW | Wired Handgrip; wired with cloth for maximum noise isolation | \$ 100.00 |
| GS-23 | Suspension Handgrip | \$ 275.00 |
| WSJ-23 | Softie Windjammer | \$ 240.00 |
| WS-4 | Slotted Plastic Cage Windscreen | \$ 450.00 |
| WJ-4 | Windjammer for WS-4 | \$ 350.00 |
| ROCS | Rubber O-Rings that expand the CS-2 's diameter to fit the larger shock mounts of certain cameras [10 COUNT] | \$ 20.00 |
| CS-2 VINYL CASE | Vinyl Case for CS-2 | \$ 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | MSRP / MAP |
|--------------|---|---------------|
| <u>CSR-2</u> | LONG REACH SHOTGUN MICROPHONE Long-reach, highly directional shotgun microphone with switchable rear rejection in a standard 10" (170 mm) length, 0.66" (22 mm) diameter, compact 6 oz (170 g) housing. Rich, natural tone with wide frequency response. The Sanken CSR-2 combines the long acoustic tube and proprietary rectangular capsule design of the CS-2 for super-sharp directivity with the unique switchable rejection of the mid and low-frequency range on the side and rear as known from the industry standard CS-3e. In the "rear rejection off" position, the microphone provides a wider image and a warmer room tone. | \$1,450.00 |
| | Suppresses background sensitivity using Sanken's exclusive rear cancellation technology • Proprietary rectangular capsule design for compact, super-sharp directivity • Flat frequency response 70Hz to 20kHz • Easy to handle and operate | |

using 48V phantom power • Quick power-up • Standard XLR3 connector

INCLUDED WM-R2 Foam Windscreen CSR-2 Vinyl Case

| CSR-2 ACCES | SORIES | |
|---------------------|----------------------------------|--------------|
| KS-50 | Microphone Shock-Mount for CSR-2 | \$ 79.00 |
| WM-R2 | Foam Windscreen, Black | \$ 50.00 |
| WS-4 | Slotted Plastic Cage Windscreen | \$ 450.00 |
| WSJ-23 | Softie Windjammer | \$ 240.00 |
| GS-23 | Suspension Handgrip | \$ 275.00 |
| CSR-2 VINYL CASE | Vinyl Case for CSR-2 | \$ 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | MSRP/ MAP |
|--------------|---|--------------|
| <u>CS-3e</u> | HIGH REJECTION SHOTGUN MICROPHONE | \$1,450.00 |
| | Innovative technology in a standard 10.6" (270 mm) length, 4.25oz (120g) housing, this industry mainstay features excellent side and rear rejection to help capture only the targeted dialogue with little ambient sound. Three directional capsules are arranged in a front-back array to combine line microphone performance and second-order pressure gradient response in a single system. This unique design makes the CS-3e an excellent choice for noisy and reverberant environments. Sharp directivity delivers highly targeted sound while eliminating background noise through off-axis rejection. Uses standard 19mm accessories. 48-volt phantom power is required. Matte Black. Low Cut Switch compensates for wind or other vibration. | |
| | Suppresses background sensitivity using Sanken's exclusive cancellation technology • Proprietary rectangular capsule design for compact, super-sharp directivity • Flat frequency response 70Hz to 20kHz • Easy to handle and operate using 48V phantom power • Quick power-up • Standard XLR3 connector | |

INCLUDED ACCESSORIES CS-3e Vinyl Case

| CS-3e ACCESS | ORIES | |
|---------------------|--|--------------|
| CS-3FW | Foam Windscreen, Black | \$ 40.00 |
| KS-3 | Microphone Shock-Mount; CS-2 is held firmly in two specially formulated polymer mounts | \$ 135.00 |
| KG | Universal Handgrips for Shock-Mounts; Attaches to pole | \$ 65.00 |
| KGW | Wired Handgrip; wired with cloth for maximum noise isolation | \$ 100.00 |
| ROCS | Rubber O-Rings that expand the CS-1e 's diameter to fit the larger shock mounts of certain cameras [10 COUNT] | \$ 20.00 |
| CS-3e VINYL CASE | Vinyl Case for CS-3e | \$ 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>MSRP /</u> MAP |
|--|--|----------------------|
| CMS mic goa still j Unic outp | D-SIDE) SMALL STEREO SHOTGUN MICROPHONE S-50 is a 5.4" compact stereo condenser shotgun that weighs only 4.6oz. The is especially suited to shoots where tight patterns and premium sound are the als. It can be camera mounted without interfering with even a short lens, yet provide the quality of audio demanded by today's professionals. que Sanken lightweight design • Sharp directivity • M and S component puts to compose Stereo signal, convenient for pre and post-processing • High nd quality, suitable for ambient recording such as Field Sports, Movies, | \$1,795.00 |

Operas, etc. • Beautiful Cardioid and Figure-8 patterns provide smooth and coherent Stereo • Short, lightweight (less than 5oz) for easy operation • HPF Switch to change low-frequency characteristic •Wide 60Hz

INCLUDED CMS-50 VINYL CASE, CMS-50 Urethane Windscreen ACCESSORIES

| CMS-50 ACCE | SSORIES | |
|-------------|-----------------------------------|--------------|
| KG | Handgrip | \$ 65.00 |
| GS-23 | Suspension with Handgrip | \$ 295.00 |
| SC-532/0.3 | 5 Pin XLRF to Two 3Pin XLRM, 0.3m | \$ 75.00 |
| SC-551/1.5 | 5 Pin XLRF to 5Pin XLRM, 1.5m | \$ 100.00 |
| WS-M1 | Softie Cage, Windscreen | \$ 460.00 |
| WS-5e | Slotted Plastic Cage Windscreen | |
| WJ-M1 | Windjammer | \$ 290.00 |
| WSJ-M1 | Softie Windjammer | \$ 190.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>MSRP /</u> MAP |
|-------|--|----------------------|
| CSS-5 | SELECTABLE MONO/STEREO/WIDE SHOTGUN MICROPHONE | \$2,300.00 |
| | Another Innovative product, this model features a five (5) capsule design to provide three modes of operation. This unique design makes the CSS-5 a truly versatile choice. Choose between sharp mono directivity, directional stereo, or a wide 140° pattern. Uses standard accessories. Dual 48-volt phantom power is required. Matte Black. | |
| | Unique 5 capsule design • Wide 100Hz-15kHz frequenzy response• Standard XLR5 connector | |
| | Modes: • Mono - For sharp shotgun directivity and excellent low-frequency definition • Normal - For precise directional hyper-cardioid focus with accurate stereo localization • Wide - Expanded 140-degree stereo image for cinematic ambiance and stereo sound effects. | |

INCLUDED ACCESSORIES

| CSS-5 ACCESSORIES | | | |
|---------------------|-----------------------------------|----|--------|
| GS-5e | Suspension with Handgrip | \$ | 275.00 |
| WSJ-5 | Softie Windjammer | \$ | 170.00 |
| WS-5e | Slotted Plastic Cage Windscreen | \$ | 490.00 |
| WJ-5e | Windjammer for WS-5e | \$ | 340.00 |
| SC-532/0.3 | 5 Pin XLRF to Two 3Pin XLRM, 0.3m | \$ | 75.00 |
| SC-551/1.5 | 5 Pin XLRF to 5Pin XLRM, 1.5m | \$ | 100.00 |
| CSS-5 VINYL CASE | Vinyl Case for CSS-5 | \$ | 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | |
|---------------|--|------------|
| <u>CSS-50</u> | SELECTABLE MONO/STEREO/WIDE SHORT SHOTGUN MICROPHONE This affordable and lightweight model features a unique three (3) capsule design to provide three modes of operation. Choose between sharp mono directivity, directional stereo, or a wide 140° pattern, all with consistent sound characteristics. Uses standard accessories. Dual 48-volt phantom power is required. Matte Black. Wide 100Hz-15kHz frequency response • Standard XLR5 connector • Short 8.5 inches Modes: Mono - For sharp shotgun directivity and excellent low-frequency definition Normal - For precise directional hyper-cardioid focus with accurate stereo localization Wide - Expanded 140° stereo image for cinematic ambiance and stereo sound effects | \$1,795.00 |

INCLUDED CSS-50 Vinyl Case, CSS-50 Urethane Wind Screen ACCESSORIES

CSS-50 ACCESSORIES

| KS-50 | Microphone Shock-Mount for CSS-50 | \$ | 79.00 |
|---------------------|-----------------------------------|----|--------|
| SC-532/0.3 | 5 Pin XLRF to Two 3Pin XLRM, 0.3m | \$ | 75.00 |
| SC-551/1.5 | 5 Pin XLRF to 5Pin XLRM, 1.5m | \$ | 100.00 |
| CSS-5 VINYL CASE | Vinyl Case for CSS-5 | \$ | 45.00 |





LIST PRICING

MAY 1, 2023

| MODEL | DESCRIPTION | <u>MSRP /</u> <u>MAP</u> |
|---------------|---|-----------------------------|
| <u>CMS-10</u> | CAMERA MOUNT MS-STEREO SHOTGUN MICROPHONE Uses an M-S design to provide stereo or mono audio signals with superior frontal directionality and a rejection of sounds from the sides and back. It is ideal for noisy shooting situations or reverberant environments. The built-in Mono/Stereo switch allows the output of a highly directional mono signal to both L/R channels or an L/R stereo signal. The supplied suspension camera mount suppresses vibrations from both camera and operator movement. | \$2,500.00 |
| | Mid-Side design • Switchable mono or left/right output • Built-in Matrix • Optimized | |

pattern • Low proximity effect • Compact size 8.3" (211mm), 6 oz (170g) • Attached 10" (.26m) cable

INCLUDED WSJ-10 Softie Windjammer, SH-10 Suspension mount

| CMS-50 ACCESSORIES | | | |
|--------------------|-----------------------------------|----|--------|
| WSJ-10 | Softie Windjammer | \$ | 150.00 |
| SH-10 | Suspension Mount | \$ | 170.00 |
| SC-532/0.3 | 5 Pin XLRF to Two 3Pin XLRM, 0.3m | \$ | 75.00 |





Sanken reserves the right to improve or alter product design and specifications without notice or obligation

WARRANTY TERMS:

- 1 year from invoice date when purchased from authorized Sanken Microphone Dealers.
- Includes parts and labor for product defects and returns ground shipping to North America locations only.

RESOURCES:

Inquiries & Purchase orders: <u>sales@plus24.net</u> **Specify Purchase Order Number, Items and method of shipping being requested. Products usually ship within 36 hours ARO.

Sanken Website: SankenMicrophones.com